

Grade 10 Mathematics Presentation

Script

Midpoints of Vectors

Pre-Class Preparation

Materials Checklist:

- Graph paper (one sheet per student)
- Rulers (one per student)
- Pencils and colored markers
- Large coordinate plane drawn on board or chart paper
- Prepared examples on chart paper

Room Setup:

- Draw a large coordinate plane on the board
- Prepare graph paper and rulers for distribution
- Have colored markers ready for demonstrations
- Prepare example vectors on chart paper
- Write the midpoint formula on the board for reference

Phase 1: Problem-Solving and Discovery (15 minutes)

Opening Hook (2 minutes)

[DO] Draw a vector on the board from $(2,2)$ to $(8,6)$.

[SAY] Imagine you are hiking from Camp A to Summit B. You want to take a break halfway. Where should you stop?

[ASK] Can anyone guess the coordinates of the halfway point?

[WAIT] Expected: $(5,4)$! Somewhere in the middle!

[SAY] Let us find out! Today we will learn how to find the midpoint of a vector.

[SAY] This is used in navigation, computer graphics, engineering, and many other fields.

Anchor Activity Launch (3 minutes)

[DO] Distribute graph paper, rulers, and pencils to each student.

[SAY] Here is your challenge: You will discover how to find the midpoint of a vector.

[SAY] Here is what you will do:

[WRITE] On the board: Step 1: Draw x and y axes.

[WRITE] Step 2: Choose a starting point A. Write its coordinates.

[WRITE] Step 3: From A, move 6 units right. Mark as B. Write coordinates.

[WRITE] Step 4: Draw vector AB.

[WRITE] Step 5: Find and label midpoint M.

[WRITE] Step 6: Write coordinates of M.

[WRITE] Step 7: Find a formula to calculate M without counting.

[SAY] Work individually first, then discuss with your neighbor.

[SAY] You have 8 minutes.

Student Work Time (8 minutes)

[DO] Circulate among students.

[ASK] To a student: What are the coordinates of A and B?

[WAIT] Expected: A is (2,3) and B is (8,3)!

[SAY] Good! Now where is the midpoint M?

[WAIT] Expected: At (5,3)!

[SAY] Excellent! How did you find 5? Is it the average of 2 and 8?

[WAIT] Expected: Yes! 2 plus 8 equals 10, divided by 2 equals 5!

[SAY] Perfect! This is the midpoint formula!

[DO] For struggling students: Let us count together. Halfway between 2 and 8 is 5.

[DO] For early finishers: Try a vector with different y-coordinates. Does your formula work?

Class Discussion (2 minutes)

[DO] Call on 2-3 students to share their findings.

[ASK] What did you discover about finding the midpoint?

[WAIT] Expected: Average the x-coordinates and average the y-coordinates!

[SAY] Excellent! This is called the midpoint formula.

[SAY] Today we will formalize this concept.

Phase 2: Structured Instruction (10 minutes)

Formalizing Vector Midpoint (10 minutes)

[SAY] Now that you have explored vector midpoints, let us formalize what we learned.

[WRITE] On the board: Midpoint of a Vector

[SAY] The midpoint is the point that divides a vector into two equal parts.

[SAY] It is located exactly halfway between the two endpoints.

[DO] Draw vector with endpoints $P(x_1, y_1)$ and $N(x_2, y_2)$ on board.

[SAY] The midpoint M is found by averaging the coordinates:

[WRITE] M equals $((x_1 \text{ plus } x_2)/2, (y_1 \text{ plus } y_2)/2)$

[SAY] This means: add the x-coordinates and divide by 2, add the y-coordinates and divide by 2.

[ASK] Does everyone understand?

[WAIT] Check for nods or questions.

[SAY] Using position vectors, if a is the position vector of P and b is the position vector of N :

[WRITE] OM equals $(a \text{ plus } b)/2$

[SAY] This is the same formula, just written with vectors.

[ASK] Does everyone understand?

[WAIT] Check for understanding.

Addressing Misconceptions:

[SAY] Let me address some common mistakes:

[SAY] Mistake 1: Midpoint is a distance. No, it is a point with coordinates.

[SAY] Mistake 2: Just add the coordinates. No, you must divide by 2 (average).

[SAY] Mistake 3: Only average x-coordinates. No, you must average both x and y.

[SAY] Mistake 4: Formula only works for horizontal vectors. No, it works for any vector!

[ASK] Does everyone understand?

[WAIT] Check for understanding.

Phase 3: Practice and Application (10 minutes)

Worked Examples (10 minutes)

[SAY] Let us work through examples together.

[WRITE] Example 1: Find midpoint of AB where A(6,1) and B(4,3).

[SAY] M equals $((6 \text{ plus } 4)/2, (1 \text{ plus } 3)/2)$ equals $(10/2, 4/2)$ equals $(5, 2)$.

[ASK] Does everyone understand?

[WAIT] Check for understanding.

[WRITE] Example 2: Find midpoint of PQ where P(negative 5, 6) and Q(3, negative 4).

[SAY] M equals $((\text{negative } 5 \text{ plus } 3)/2, (6 \text{ plus negative } 4)/2)$ equals $(\text{negative } 2/2, 2/2)$ equals $(\text{negative } 1, 1)$.

[SAY] See? The formula works with negative numbers too!

[WRITE] Example 3: Triangle ABC has A(2,2), B(6,2), C(4,6). Find midpoint M of AC.

[SAY] M equals $((2 \text{ plus } 4)/2, (2 \text{ plus } 6)/2)$ equals $(6/2, 8/2)$ equals $(3, 4)$.

[ASK] Any questions?

[WAIT] Address questions.

Phase 4: Assessment (5 minutes)

Exit Ticket

[SAY] Before we finish, I want to check your understanding. Please complete the exit ticket individually.

[DO] Display questions on the board.

[SAY] Question 1: Find midpoint from $A(3, 5)$ to $B(9, 11)$.

[SAY] Question 2: Vector has endpoints $P(\text{negative } 4, 2)$ and $Q(6, \text{negative } 8)$. Find midpoint.

[SAY] Question 3: If $M(4, 3)$ is midpoint of AB and A is $(2, 1)$, find B .

[SAY] You have 5 minutes. Show your work!

Closing (1 minute)

[SAY] Today we learned about vector midpoints and how to calculate them by averaging coordinates.

[SAY] We learned that the midpoint divides a vector into two equal parts.

[SAY] Midpoints are used in navigation, computer graphics, engineering, and geometry.

[SAY] Next lesson, we will explore manipulating vectors.

[SAY] Great work today!

Differentiation Notes

For Struggling Learners:

- Provide pre-drawn vectors.
- Use color coding for points.
- Provide calculation templates.
- Start with simple coordinates.
- Use physical number lines.

For Advanced Learners:

- Explore 3D midpoints.

- Investigate weighted averages (dividing into thirds).
- Apply to geometry proofs.
- Find centroids of triangles.
- Explore computer graphics applications.

Post-Lesson Reflection Prompts

- Did students discover the midpoint formula?
- Were students able to apply the formula correctly?
- What misconceptions emerged, and how were they addressed?
- Did students understand the averaging concept?
- What adjustments would improve this lesson?